



SRA312-016 / SRA312-032 Series
Network Video Recorder





Quick Installation Guide


Note: The Quick Guide is subject to change without notice
2018-05-31 released


1. 16/32CH H.265 NVR Front Panel


The front panel includes:



1.  Record : Rec indicator turns on when AHD/TVI DVR is recording.


2.  Network : Network indicator turns on when AHD/TVI DVR network access is connected.

2.  Power/ Alarm: Power indicator turns on when AHD/TVI DVR turns on. Alarm indicator turns on when system alarm is detected.

4.  USB Port: USB2.0 port for connecting devices, such as USB mouse or USB flash drive.

2. 16/32CH H.265 NVR Rear Panel

16/32CH H.265 NVR Rear Panel



Item	I/O	Description
1	WAN	Connect NVR to Internet via a RJ-45 network cable.
2	LAN	Connect IP camera to the same LAN as the NVR.
3	Audio Out	Connect a speaker or other audio output device to the audio output connectors.
4	Audio In	Connect the microphone or camera audio output to the audio input connectors.
5	HDMI	Connect a HDMI monitor to the HDMI output connector.
6	VGA	Connect a VGA Monitor to the VGA output connector.
7	USB Port	USB 2.0 ports for connecting devices, such as USB mouse or USB flash drive.
8	Alarm Out	N.C or N.O type alarm signal out.
9	Alarm In	Connect up to 16 alarm inputs to the alarm input connectors.
10	RS485	Connect a Pan/Tilt/Zoom camera to the RS485 port.
11	Power	Plug the DV48V power source into the power socket.

3. 16/32CH H.265 NVR Hard disk Installation

Follow the steps to install or replace the hard disk.

Step1. Take out the hard disk mounting bracket and hard disk screws from the accessory pack.



Step2. Fix the harddisk on to the harddisk mounting bracket and fix the screws on to the screw holes as indicated in the diagram. Each set of harddisk brackets can mount 2 harddisks.



Step3. Use the HDD mounting screws attached in the accessory pack to fix the mounting brackets to the hard drive.



Step4. Connect SATA & Power wire to Hard Disk and put it on right position of the case. Use the HDD mounting screws attached in the accessory pack to fix the hard drive with bracket firmly on to the chassis.